Copper Water Tube - Type K, L, or M - per ASTM B88 by Copper Development Association

HPD UNIQUE IDENTIFIER: 26338

CLASSIFICATION: 22 10 00 Plumbing Piping

PRODUCT DESCRIPTION: Copper tube for heating, water distribution, and fuel distribution, as manufactured by a Copper Development Association member, per ASTM B88. ASTM B88 establishes the requirements for seamless copper water tube suitable for general plumbing and similar applications for the conveyance of fluids, commonly used with solder, flared, compression-type, or mechanical fittings. These materials may be used as finished products or as part of larger products or systems. In the latter case, the materials do not experience any chemical changes; rather, they are physically altered to meet the application requirements. Additional Classifications can be found in Section 5: General Notes.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

Material
 Product

Threshold Level C 100 ppm C 1,000 ppm C Per GHS SDS O Other Residuals/Impurities Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities? © Yes O No

Nested Method / Product Threshold

All Substances Above the	Threshold Indicated Are
Characterized	○ Yes Ex/SC ⊙ Yes ○ No
% weight and role provided	d for all substances.
Screened	○ Yes Ex/SC ⊙ Yes ○ No
All substances screened us	sing Priority Hazard Lists with
results disclosed.	
Identified	○ Yes Ex/SC ⊙ Yes ○ No
All substances disclosed by	v Name (Specific or Generic)
and Identifier.	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

UNS C12200 COPPER ALLOY [COPPER LT-UNK PHOSPHORUS BM-2 | MAM | PHY] UNS C12000 COPPER ALLOY [COPPER LT-UNK PHOSPHORUS BM-2 | MAM | PHY] Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]. The product formulation was created using the ASTM standard to identify acceptable copper alloys. The formulation of each of these alloys was generated from the UNS designation, as found at www.unscopperalloys.org, duplicated in the Toxnot Shared Materials library. The specific material formulation should be obtained directly from the manufacturer of the product chosen. Metal alloys have different intrinsic characteristics than their alloying elements encapsulated therein, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements. All GreenScreen BenchMark scores are supplied by the Pharos database.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

⊙ Yes ⊙ No PREPARER: Self-Prepared VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-13731 SCREENING DATE: 2021-10-26 PUBLISHED DATE: 2021-10-26 EXPIRY DATE: 2024-10-26

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

RODUCT THRESHOLD: Other	RESIDUALS AND IMPURITIES CC	NSIDERED: Y	/es	MATERIAL	TYPE: Metal
ESIDUALS AND IMPURITIES NO	TES: Defined by UNS per Metal Alloy specia	al condition			
	ormulation was generated based on the UN faterials library. Metal alloys have different i	ntrinsic chara	cteristics thar	n their alloying elem	ents, including
a list of multiple alloys that may is HPD. This alloy is registered w	. As such, alloys are generally expected to r be used to meet the product standard and, vith the U.S. EPA as antimicrobial. This inclu	as such, shal	II be treated a		other alloys listed agreed upon.
is HPD. This alloy is registered w	be used to meet the product standard and, vith the U.S. EPA as antimicrobial. This inclu	as such, shal Ides O-free Cu	ll be treated a u which conta	ins P in an amount	other alloys lister agreed upon. ID: 7440-50
a list of multiple alloys that may is HPD. This alloy is registered w	be used to meet the product standard and,	as such, shal Ides O-free Cu	ll be treated a u which conta		other alloys listed agreed upon. ID: 7440-50 3:15:18

None found

SUBSTANCE NOTES: This value includes Ag, though it is not intentionally added and may only be present as a residual of the process by which raw material (i.e., Cu ore) is refined. However, due to the high value of Ag, refining operations prioritize its removal to the highest extent practical. Recycled content is expected to be utilized in the production of the product. However, please contact the manufacturer for specific utilization rates. Source of Pre Consumer Recycled Content Products: Recyclable copper materials generated during production which is recycled within the plant where it originates, or bought back from customers or scrap dealers (i.e. punchings from stamping operations, clippings, gates/risers from castings). Source of Post Consumer Recycled Content Products: Scrap copper wires, cables, tubes, busbar, and strip, plate, and sheet products (e.g., roofing, cladding, gutters, flashing).

PHOSPHORUS						ID:	7723-14-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SC	REENING DA	TE: 2021-10-2	26 13:15:19	
%: 0.0150 - 0.0400	GS: BM-2	RC: U	NK	NANO: No	SUBSTANCE	EROLE: Alloy	element
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS			
МАМ	US EPA - EPCRA Extremely Hazardous Substances		Extrem	nely Hazardoi	us Substances		
РНҮ	EU - GHS (H-Statements) Annex 6 Table		H228 - or 2]	Flammable s	solid [Flammab	le solids - Cat	egory 1
SUBSTANCE NOTES:							
UNS C12000 COPPER ALLOY	%: 100.0000 - 100.0000						
PRODUCT THRESHOLD: Other	RESIDUALS AND IMPURITIES CO	NSIDE	RED: Y	es	MATER	RIAL TYPE: Me	etal

RESIDUALS AND IMPURITIES NOTES: Defined by UNS per Metal Alloy special condition

OTHER MATERIAL NOTES: This formulation was generated based on the UNS designation for the alloy as found at www.unscopperalloys.org, duplicated in the Toxnot Shared Materials library. Metal alloys have different intrinsic characteristics than their alloying elements, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements. This alloy is one in a list of multiple alloys that may be used to meet the product standard and, as such, shall be treated as an alternate of all other alloys listed in this HPD. This alloy is registered with the U.S. EPA as antimicrobial.

COPPER				ID: 7440-50-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-10-26 13:15:19
%: 99.9000 - 100.0000	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This value includes Ag, though it is not intentionally added and may only be present as a residual of the process by which raw material (i.e., Cu ore) is refined. However, due to the high value of Ag, refining operations prioritize its removal to the highest extent practical. Recycled content is expected to be utilized in the production of the product. However, please contact the manufacturer for specific utilization rates. Source of Pre Consumer Recycled Content Products: Recyclable copper materials generated during production which is recycled within the plant where it originates, or bought back from customers or scrap dealers (i.e. punchings from stamping operations, clippings, gates/risers from castings). Source of Post Consumer Recycled Content Products: Scrap copper wires, cables, tubes, busbar, and strip, plate, and sheet products (e.g., roofing, cladding, gutters, flashing).

PHOSPHORUS						ID:	7723-14-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD S	CREENING DA	TE: 2021-10-2	26 13:15:20	
%: 0.0040 - 0.0120	GS: BM-2	RC: U	INK	NANO: No	SUBSTANCE	E ROLE: Alloy	element
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS			
МАМ	US EPA - EPCRA Extremely Hazardous Substances	6	Extre	emely Hazardo	us Substances		
РНҮ	EU - GHS (H-Statements) Annex 6 Tabl		H228 or 2]	- Flammable	solid [Flammab	ole solids - Ca	tegory 1

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED					
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-10- EXPIRY DATE: 26	CERTIFIER OR LAB: N/A				

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Substance ranges within the HPD are due to the variability in the UNS formulations. This HPD is meant to provide likely formulations of copper water tubes based on the ASTM B88 standard and lists the copper alloy(s) referenced in that standard. Manufacturers should be contacted to obtain a true disclosure for the product in question. A list of Copper Development Association members can be found at https://www.copper.org/about/cdamembers.html. Please see https://www.copper.org/applications/plumbing/cth/ for more information available in the Copper Tube Handbook, a comprehensive resource for plumbers, HVAC technicians and contractors to obtain information about copper tube, piping and fittings, as well as different joining methods and applications. Related Construction Specifications Institute MasterFormat designations include the following. These are provided as a general guideline; others sections may apply: 21 13 13 Wet-Pipe Sprinkler Systems, 21 13 16 Dry-Pipe Sprinkler Systems, 21 13 20 Combined Dry-Pipe and Preaction Sprinkler Systems, 21 13 26 Deluge Fire-Suppression Sprinkler Systems, 21 13 29 Water Spray Fixed Systems, 21 13 36 Antifreeze Sprinkler Systems, 22 11 13 Facility Water Distribution Piping, 22 11 16 Domestic Water Piping, 22 11 19 Domestic Water Piping Specialties, 22 13 16 Sanitary Waste and Vent Piping, 22 13 19 Sanitary Waste Piping Specialties, 22 14 13 Facility Storm Drainage Piping, 22 14 16 Rainwater Leaders, 22 51 13 Swimming Pool Piping, 22 52 13 Fountain Piping, 23 67 13 Processed Water Piping for Laboratory and Healthcare Facilities, 23 11 3 Facility Fuel-Oil Piping, 23 11 23 Facility Natural-Gas Piping, 23 11 26 Facility Liquefied-Petroleum Gas Piping, 23 11 3 Hydronic Piping, 23 21 3 Steam and Condensate Heating Piping, 33 05 17 Copper Utility Pipe and Tubing, 33 14 13 Public Water Utility Distribution Piping, 33 14 16 Site Water Utility Distribution Piping, 33 14 17 Site Water Utility Service Laterals, 40 05 17 Copper Process Pipe and Tubing.

MANUFACTURER INFORMATION

MANUFACTURER: Copper Development Association ADDRESS: 7918 Jones Branch Dr. #300 McLean VA 22102, USA WEBSITE: copper.org CONTACT NAME: Carrie Claytor TITLE: Director, Material Stewardship (US); Sustainable Development Lead, Material Stewardship (Global) PHONE: 2122517220 EMAIL: carrie.claytor@copperalliance.us

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

Copper Water Tube - Type K, L, or M - per ASTM B88 hpdrepository.hpd-collaborative.org